




FANYUAN INSTRUMENT (HF) CO., LTD.
DOWELL SCIENCE AND TECHNOLOGY (HK) CO., LTD.
ADD: Tianyuan Road 9#, High-tech Zone, Hefei City, China Postal Code: 230088
TEL: +86-551-65232508
FAX: +86-551-65232507
Email: sales@hkdownell.com
Website: <http://www.fyichina.com.cn>

Y331A-III AUTOMATIC YARN TWISTING TESTER





MODEL NO.

Y331A-III

Application:

YG331A-III AUTOMATIC YARN TWISTING TESTER is a new type automatic tester for yarn testing laboratory, used to determine yarn twist by conventional or untwist/re-twist methods.

Related Standards:

STANDARDS	GB/T2543.1/2, 14345	ISO 2061
	FZ/T 10001	ASTM D1422/1423

Note: this tester can conform to but not limit to the standards above, for more standards conformance, please contact us.

Features:

- Special designed automatic guiding yarn device, combined of taking yarn manipulator and pneumatic sending yarn device to make sure work efficiency;
- Automatic zero adjustment with accurate positioning. Overcome the default caused by manual operation;
- 5.7” colorful touch screen with all parameters, clear and brief;
- Test result can be stored in 4G SD card and with the function of data review, query and print;
- Equip with built-in printer, result can be print out directly;
- Equip with data view software;
- Connect to PC is viable by optional software;

Key Specification:

- Test methods

1. Direct count;	2. Once twist/retwist method
3. Twice twist/retwist method;	4. Triple twist/retwist method
- Sample length: 100,250,500(mm) (selectable)
- Range of test: 1~9999.9 twist
- Rotational speed: 100~3000r/min (adjustable)
- Extension range: <20mm
- Max tubes of sample: 20 tubes
- Max testing times of each tube: 20 times



FANYUAN INSTRUMENT (HF) CO., LTD.
DOWELL SCIENCE AND TECHNOLOGY (HK) CO., LTD.
ADD: Tianyuan Road 9#, High-tech Zone, Hefei City, China Postal Code: 230088
TEL: +86-551-65232508
FAX: +86-551-65232507
Email: sales@hkdownell.com
Website: <http://www.fyichina.com.cn>

- Compressed air 0.5~0.8MPa
- Power supply 220V 50Hz 400W
- Dimensions 1500×400×300mm
- Weight 60Kg

Standard configuration:

No.	Item	Quantity
1	Main machine	1 set
2		

Optional Accessories:

No.	Item
1	Software
2	Air compressor
3	Brand computer